

Safety Data Sheet

gūrū Surface Filler Part A

1. IDENTIFICATION

1.1 PRODUCT IDENTIFIER

Product Identity	Guru Surface Filler Part A SCSA-00003
Alternate Names	Guru Surface Filler Part A SCSA-00003, Surface Filler Part A

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Intended Use	See Technical Data Sheet
Application Method	See Technical Data Sheet

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Company Name	Soul Composites, LLC. 4557 Denrose Ct. Fort Collins, CO 80524
---------------------	---

24 hour Emergency Telephone No.	+1 970 235 2961
Customer Service: Soul Composites, LLC.	+1 970 235 2961

2. HAZARD(S) IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

No applicable GHS categories.

2.2 LABEL ELEMENTS

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows:

No applicable GHS categories.

Prevention: No GHS prevention statements.

Response: No GHS response statements.

Storage: No GHS storage statements.

Disposal: No GHS disposal statements.

Safety Data Sheet

gūrū Surface Filler Part A *continued*

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weights %	GHS Classification	Notes
Formaldehyde-melamine Polymer CAS Number: 0009003-08-1	5-10	Not Classified	(1)
Plaster of Paris CAS Number: 0026499-65-0	75-100	Not Classified	(1) (2)

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

4. FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
Skin	Flush with large quantities of water for 15 minutes. Remove contaminated clothing and shoes. Wash before reuse.
Ingestion	If swallowed, obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Overview	No specific symptom data available. See section 2 for further details.
-----------------	--

Safety Data Sheet

gūrū Surface Filler Part A *continued*

5. FIRE-FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Use extinguishing media appropriate for surrounding fire.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Hazardous decomposition: No hazardous decomposition data available.

5.3 ADVICE FOR FIRE-FIGHTERS

None

5.4 ERG GUIDE NO.

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Put on appropriate personal protective equipment (*see section 8*).

6.2 ENVIRONMENTAL PRECAUTIONS

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in section 8 (Protective Equipment). Scoop up or absorb with a non-sparking tool, and then place into a suitable container for disposal. Remove all sources of ignition. Use a non-sparking tool. Provide ventilation. A vapor suppressing foam may be used to reduce vapors. Dispose of according to local, state and federal regulations.

If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes the Environmental Protection Agency should also be informed.

Safety Data Sheet

gūrū Surface Filler Part A *continued*

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Protect from physical damage and keep containers tightly closed. Keep away from heat, sparks, open flames and children. See section 2 for further detail (*Prevention*).

7.2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Handle containers carefully to prevent damage and spillage.

Incompatible materials: No data available.

See section 2 for further details (*Storage*).

7.3. SPECIFIC END USE(S)

No data available.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Exposure

CAS No.	Ingredient	Source	Value
0009003-08-1	Formaldehyde-melamine Polymer	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0026499-65-0	Plaster of Paris	OSHA	TWA: 15 mg/m ³ (total) TWA: 5 mg/m ³ (resp)
		ACGIH	TWA: 10 mg/m ³ STEL: 20 mg/m ³
		NIOSH	TWA: 10 mg/m ³ (total) TWA: 5 mg/m ³ (resp)
		Supplier	No Established Limit

The exposure limits for nuisance dust are: OSHA PEL: 15 mg/m³ (50 mppcf*) TWA, ACGIH 10 mg/m³.

Safety Data Sheet

gūrū Surface Filler Part A *continued*

Carcinogen Data

CAS No.	Ingredient	Source	Value
0009003-08-1	Formaldehyde-melamine Polymer	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0026499-65-0	Plaster of Paris	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2 EXPOSURE CONTROLS

- Respiratory** If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
- Eyes** Protective safety glasses recommended. Accessible eye wash station in workplace recommended.
- Skin** Chemical resistant gloves recommended.
- Engineering Controls** Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits, suitable respiratory protection must be worn.
- Other Work Practices** Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse. See section 2 for further details (*Prevention*).

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 PROPERTIES

- Appearance** White to Off-White Powder
- Odor** Not Determined
- Odor Threshold** Not Determined
- pH** Not Measured
- Melting/Freezing Point** Not Measured

Safety Data Sheet

gūrū Surface Filler Part A *continued*

Initial Boiling Point/Boiling Range	Not Measured
Flash Point	Not Measured
Evaporation Rate (Ether = 1)	Not Measured
Flammability (Solid, Gas)	Not Applicable
Upper/Lower Flammability or Explosive Limits	Upper Explosive Limits: Not Measured Lower Explosive Limits: Not Measured
Vapor Pressure (Pa)	Not Measured
Vapor Density	Not Measured
Specific Gravity	Not Measured
Solubility in Water	Not Measured
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition Temperature	Not Measured
Decomposition Temperature	Not Measured
Viscosity (cSt)	Not Measured

9.2 OTHER INFORMATION

No other relevant information.

10. STABILITY AND REACTIVITY

10.1 REACTIVITY

Hazardous Polymerization will not occur.

10.2 CHEMICAL STABILITY

Stable under normal circumstances.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No data available.

10.4 CONDITIONS TO AVOID

No data available.

10.5 INCOMPATIBLE MATERIALS

No data available.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

No hazardous decomposition data available.

Safety Data Sheet

gūrū Surface Filler Part A *continued*

11. TOXICOLOGY INFORMATION

11.1 ACUTE TOXICITY

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Plaster of Paris - (26499-65-0)	No data available	No data available	No data available	No data available	No data available
Formaldehyde-melamine Polymer - (9003-08-1)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute Toxicity (oral)	-	Not Applicable
Acute Toxicity (dermal)	-	Not Applicable
Acute Toxicity (inhalation)	-	Not Applicable
Skin Corrosion/Irritation	-	Not Applicable
Serious Eye Damage/Irritation	-	Not Applicable
Respiratory Sensitization	-	Not Applicable
Skin Sensitization	-	Not Applicable
Germ Cell Mutagenicity	-	Not Applicable
Carcinogenicity	-	Not Applicable
Reproductive Toxicity	-	Not Applicable
STOT - Single Exposure	-	Not Applicable
STOT - Repeated Exposure	-	Not Applicable
Aspiration Hazard	-	Not Applicable

Safety Data Sheet

gūrū Surface Filler Part A *continued*

12. ECOLOGICAL INFORMATION

12.1 TOXICITY

No additional information provided for this product. See Section 3 for chemical-specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Plaster of Paris - (26499-65-0)	Not Available	Not Available	Not Available
Formaldehyde-melamine Polymer - (9003-08-1)	Not Available	Not Available	Not Available

12.2 PERSISTENCE AND DEGRADABILITY

There is no data available on the preparation itself.

12.3 BIOACCUMULATIVE POTENTIAL

Not measured.

12.4 MOBILITY IN SOIL

No data available.

12.5 RESULTS OF PBT AND VPVB ASSESSMENT

This product contains no PBT/vPvB chemicals.

12.6 OTHER ADVERSE EFFECTS

No data available.

13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Observe all federal, state and local regulations when disposing of this substance.

Safety Data Sheet

gūrū Surface Filler Part A *continued*

14. TRANSPORT INFORMATION

	DOT (Domestic Surface Transportation)	IMO/IMDG (Ocean Transportation)	ICAO/ATA
14.1 UN NUMBER	Not Applicable	Not Regulated	Not Regulated
14.2 UN PROPER SHIPPING NAME	Not Regulated	Not Regulated	Not Regulated
14.3 TRANSPORT HAZARD CLASS(ES)	DOT Hazard Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable
14.4 PACKING GROUP	Not Applicable	Not Applicable	Not Applicable

14.5 ENVIRONMENTAL HAZARDS IMDG
Marine Pollutant: No

14.6 SPECIAL PRECAUTIONS FOR USER
No further information.

15. REGULATORY INFORMATION

Regulatory Overview

The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA)

All components of this material are either listed or exempt from listing on the TSCA Inventory.

WHMIS Classification

Not regulated.

US EPA Tier II Hazards

Fire: No
Sudden Release of Pressure: No
Reactive: No
Immediate (Acute): No
Delayed (Chronic): No

Safety Data Sheet

gūrū Surface Filler Part A *continued*

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

Formaldehyde

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

Plaster of Paris

Pennsylvania RTK Substances (>1%):

Plaster of Paris

16. OTHER INFORMATION

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations and orders.

The full text of the phrases appearing in section 3 is: Not classified.

The information contained herein is furnished without warranty of any kind. The above information is believed to be correct but does not purport to be all inclusive and should be used only as a guide. Users should make independent determinations of the suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers.

Date of revision: 1/5/2016

End of Document